



Lemon Washing Up Liquid

Country Range Lemon Washing Up Liquid is an everyday washing up liquid for use as a manual dishwashing detergent with warm water.

- Lemon fragrance
- Suitable for everyday use
- 5 Litre



Quality Assurance:

This product is manufactured in the UK by The Country Range Group Ltd.

Produced under ISO 9001 Quality Management System & ISO 14001 Environmental Management System. This ensures our products and services are of the highest possible standard.

This product has not been tested on animals.


Contains:

C12-14 Alkyl Ether Sulfates, Coconut Diethanolamide, Amines, C12-14 Alkyldimethyl, N-oxides

Biodegradability:

All surfactants used in Country Range products comply with the current European regulations concerning biodegradability & protection of the environment.

11/10/21



Scan Me

ORDER CODE(S):
CRG851 - 5ltr - 800-142-0001



SAFETY DATA SHEET
CONCENTRATED LEMON WASHING UP LIQUID
 Compiled in Accordance with EU and GB REACH and CLP Regulations.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CONCENTRATED LEMON WASHING UP LIQUID
Product number 800-142-0001
Internal identification CRG851

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.
Uses advised against Not for Oral Consumption.

1.3. Details of the supplier of the safety data sheet

Supplier www.countryrange.co.uk
 GB: The Country Range Group Ltd, 4 & 5, Jupiter House, Mercury Rise, Altham, Lancashire,
 BB5 5BY.
 +44 (0) 845 209 3777

 EU: The Country Range Group, PO Box 246, NEWTOWNABBEY, BT36 9EZ.
 +44 (0) 845 209 3777

Contact person hello@countryrange.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 845 209 3777 (Office Hours).

National emergency telephone number In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

Irish NPIC number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319
Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word Warning

CONCENTRATED LEMON WASHING UP LIQUID

| | |
|---------------------------------|---|
| Hazard statements | H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. |
| Precautionary statements | P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P102 Keep out of reach of children. P280 Wear protective gloves. P264 Wash contaminated skin thoroughly after handling. P501 Dispose of contents/ container in accordance with local regulations. |
| Contains | C12-14-ALKYL ETHER SULFATES, COCONUT DIETHANOLAMIDE, AMINES, C12-14 - ALKYLDIMETHYL, N-OXIDES |
| Detergent labelling | < 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains 2-Bromo-2-nitropropane-1, 3-diol |
| Labelling notes | Note:- When assessing the classification of this product, specific cut off values applied to CAS No- 68891-38-3 |

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| |
|---|
| C12-14-ALKYL ETHER SULFATES 1-5% |
| CAS number: 68891-38-3 EC number: 500-234-8 REACH registration number: 01-2119488639-16-XXXX |
| Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412 |
| AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES <1% |
| CAS number: 308062-28-4 EC number: 931-292-6 REACH registration number: 01-2119490061-47-XXXX |
| M factor (Acute) = 1 |
| Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411 |
| Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R38,R41. N;R50. |

CONCENTRATED LEMON WASHING UP LIQUID

| | | |
|--------------------------|--|--|
| BRONOPOL (INN) | | <1% |
| CAS number: 52-51-7 | EC number: 200-143-0 | REACH registration number: 01-2119980938-15-XXXX |
| M factor (Acute) = 10 | | |
| Classification | Classification (67/548/EEC or 1999/45/EC) | |
| Acute Tox. 4 - H302 | Xn;R21/22 Xi;R37/38,R41 N;R50 | |
| Acute Tox. 4 - H312 | | |
| Skin Irrit. 2 - H315 | | |
| Eye Dam. 1 - H318 | | |
| STOT SE 3 - H335 | | |
| Aquatic Acute 1 - H400 | | |
| Aquatic Chronic 2 - H411 | | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------------|--|
| General information | Provide eyewash station. |
| Inhalation | Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. |
| Ingestion | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues. |
| Skin contact | Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing. |
| Eye contact | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|---|
| General information | Provide eyewash station. |
| Inhalation | Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature. |
| Ingestion | Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported. |
| Skin contact | Prolonged contact may cause redness, irritation and dry skin. |
| Eye contact | The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|------------------------------|
| Notes for the doctor | No specific recommendations. |
|-----------------------------|------------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|-------------------------------------|---|
| Suitable extinguishing media | The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. |
|-------------------------------------|---|

CONCENTRATED LEMON WASHING UP LIQUID

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with Bleach.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

CONCENTRATED LEMON WASHING UP LIQUID

DNEL

Workers - Inhalation; Long term systemic effects: 175 mg/m³
 Workers - Dermal; Long term systemic effects: 2750 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 52 mg/m³
 Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day
 Consumer - Oral; Long term systemic effects: 15 mg/kg/day

PNEC

- Fresh water; 0.24 mg/l
- marine water; 0.024 mg/l
- Intermittent release; 0.071 mg/l
- Sediment, Fresh water; 0.917 mg/kg
- Sediment, marine water; 0.092 mg/kg
- Soil; 7.5 mg/kg
- STP; 10,000 mg/l

COCONUT DIETHANOLAMIDE (CAS: 68155-07-7)

DNEL

Workers - Inhalation; Long term systemic effects: 73.4 mg/m³
 Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day
 Workers - Dermal; Long term local effects: 0.0936 mg/cm²
 General population - Inhalation; Long term systemic effects: 21.73 mg/m³
 General population - Dermal; Long term systemic effects: 2.5 mg/kg/day
 General population - Dermal; Long term local effects: 0.0562 mg/cm²
 General population - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC

- Fresh water; 0.007 mg/l
- marine water; 0.001 mg/l
- STP; 830 mg/l
- Sediment (Freshwater); 0.195 mg/kg
- Sediment (Marinewater); 0.019 mg/kg
- Soil; 0.035

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)

DNEL

Workers - Inhalation; Long term systemic effects: 15.5 mg/m³
 Workers - Dermal; Long term systemic effects: 11 mg/kg/day
 General population - Inhalation; Long term systemic effects: 3.8 mg/m³
 General population - Dermal; Long term systemic effects: 5.5 mg/kg/day
 General population - Oral; Long term systemic effects: 0.44 mg/kg/day

PNEC

- Fresh water; 0.034 mg/l
- marine water; 0.003 mg/l
- STP; 24 mg/l
- Sediment (Freshwater); 5.24 mg/kg
- Sediment (Marinewater); 0.524 mg/kg
- Soil; 1.02 mg/kg

DIETHANOLAMINE (CAS: 111-42-2)

DNEL

Workers - Inhalation; Long term local effects: 1 mg/m³
 Workers - Dermal; Long term systemic effects: 0.13 mg/cm²
 General population - Inhalation; Long term local effects: 0.25 mg/m³
 General population - Dermal; Long term systemic effects: 0.07 mg/kg/day
 General population - Oral; Long term systemic effects: 0.06 mg/kg/day

CONCENTRATED LEMON WASHING UP LIQUID

| | |
|-------------|---------------------------------------|
| PNEC | - Fresh water; 0.02 mg/l |
| | - marine water; 0.002 mg/l |
| | - STP; 100 mg/l |
| | - Sediment (Freshwater); 0.092 mg/kg |
| | - Sediment (Marinewater); 0.009 mg/kg |
| | - Soil; 0.007 mg/kg |

BRONOPOL (INN) (CAS: 52-51-7)

| | |
|---|---|
| DNEL | Workers - Inhalation; Long term systemic effects: 4.1 mg/m ³ |
| | Workers - Inhalation; Short term systemic effects: 12.3 mg/m ³ |
| | Workers - Inhalation; Long term local effects: 4.2 mg/m ³ |
| | Workers - Inhalation; Short term local effects: 4.2 mg/m ³ |
| | Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day |
| | Workers - Dermal; Short term systemic effects: 7 mg/kg/day |
| | Workers - Dermal; Long term local effects: 0.013 mg/cm ² |
| | Workers - Dermal; Short term local effects: 0.013 mg/cm ² |
| | General population - Inhalation; Long term systemic effects: 1.2 mg/m ³ |
| | General population - Inhalation; Short term systemic effects: 3.7 mg/m ³ |
| | General population - Inhalation; Long term local effects: 1.3 mg/m ³ |
| | General population - Inhalation; Short term local effects: 1.3 mg/m ³ |
| | General population - Dermal; Long term systemic effects: 1.4 mg/kg/day |
| | General population - Dermal; Short term systemic effects: 4.2 mg/kg/day |
| | General population - Dermal; Long term local effects: 0.008 mg/cm ² |
| | General population - Dermal; Short term local effects: 0.008 mg/cm ² |
| General population - Oral; Long term systemic effects: 0.35 mg/kg/day | |
| General population - Oral; Short term systemic effects: 1.1 mg/kg/day | |

| | |
|-------------|---|
| PNEC | - Fresh water; 0.01 mg/l |
| | - marine water; 0.008 mg/l |
| | - Intermittent release; 0.0025 mg/l |
| | - STP; 0.43 mg/l |
| | - Sediment (Freshwater); 0.041 mg/kg |
| | - Sediment (Marinewater); 0.00328 mg/kg |
| | - Soil; 0.5 mg/kg |

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Personal protection

This datasheet is not a Risk/COSHH assessment. Data given here should be used as part of a risk assessment. Data supplied here relates to the product as supplied, not in use solutions, these will have a lower classification. This product is not classified for skin irritation or corrosion, but the use of gloves for extended use is recommended.

Eye/face protection

During the manufacture and filling of this product eye protection is recommended refer to EN166. In normal use the need for eye protection is not anticipated, unless a risk assessment suggests splashing is reasonably probable. Personal protective equipment for eye and face protection should comply with European Standard EN166.

CONCENTRATED LEMON WASHING UP LIQUID

| | |
|--|---|
| Hand protection | During Manufacture and Filling operations use of hand protection is recommended. Gloves with a breakthrough time of >60 minutes are recommended. Refer to standard EN374 for compatible materials. In normal use skin protection is not required, but for extended use gloves should be considered to prevent drying of skin. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Neoprene. Nitrile rubber. Polyethylene. |
| Other skin and body protection | Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin. |
| Hygiene measures | Good personal hygiene procedures should be implemented. Use appropriate skin cream to prevent drying of skin. |
| Respiratory protection | Respiratory protection not required. |
| Environmental exposure controls | Avoid releasing into the environment. Note: Comment applies to the concentrated product as supplied, not normal use solutions. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------------------|
| Appearance | Liquid. |
| Colour | Yellow. |
| Odour | Lemon. |
| Odour threshold | Not applicable. |
| pH | pH (concentrated solution): 7.5 |
| Melting point | Not applicable. |
| Initial boiling point and range | 90 - 105 Degrees C. |
| Flash point | Not applicable. |
| Evaporation rate | Not applicable. |
| Evaporation factor | Not applicable. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | Not applicable. |
| Other flammability | Not applicable. |
| Vapour pressure | Not applicable. |
| Vapour density | Not applicable. |
| Relative density | 1.015 @ @ 20°C |
| Bulk density | Not applicable. |
| Solubility(ies) | Soluble in water. |
| Partition coefficient | Not applicable. |
| Auto-ignition temperature | Not applicable. |
| Decomposition Temperature | Not applicable. |
| Viscosity | No information available. |
| Explosive properties | Not applicable |

CONCENTRATED LEMON WASHING UP LIQUID

| | |
|---|---|
| Explosive under the influence of a flame | Not considered to be explosive. |
| Oxidising properties | Not applicable. |
| Comments | Information given is applicable to the product as supplied. |

9.2. Other information

| | |
|--------------------------|---------------|
| Other information | Not relevant. |
|--------------------------|---------------|

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|-------------------|---|
| Reactivity | Under normal storage conditions this product is stable. |
|-------------------|---|

10.2. Chemical stability

| | |
|------------------|--|
| Stability | Stable at normal ambient temperatures. |
|------------------|--|

10.3. Possibility of hazardous reactions

| | |
|---|-----------------|
| Possibility of hazardous reactions | Not applicable. |
|---|-----------------|

10.4. Conditions to avoid

| | |
|----------------------------|---|
| Conditions to avoid | Avoid exposure to high temperatures or direct sunlight. |
|----------------------------|---|

10.5. Incompatible materials

| | |
|---------------------------|--|
| Materials to avoid | Do not mix with Bleach based products as this could cause dangerous warming of the solution. |
|---------------------------|--|

10.6. Hazardous decomposition products

| | |
|---|--|
| Hazardous decomposition products | No known hazardous decomposition products. |
|---|--|

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|------------------------------|---|
| Toxicological effects | Information given is based on data of the components and of similar products. |
|------------------------------|---|

Acute toxicity - oral

| | |
|-------------------------------------|--|
| Notes (oral LD₅₀) | Based on available data the classification criteria are not met. |
|-------------------------------------|--|

Acute toxicity - dermal

| | |
|---------------------------------------|--|
| Notes (dermal LD₅₀) | Calculation method. Based on available data the classification criteria are not met. |
|---------------------------------------|--|

Acute toxicity - inhalation

| | |
|---|--|
| Notes (inhalation LC₅₀) | Based on available data the classification criteria are not met. |
|---|--|

Skin corrosion/irritation

| | |
|----------------------------------|--|
| Skin corrosion/irritation | Based on available data the classification criteria are not met. |
|----------------------------------|--|

Serious eye damage/irritation

| | |
|--------------------------------------|--|
| Serious eye damage/irritation | Irritation of eyes is assumed. Calculation method. |
|--------------------------------------|--|

Respiratory sensitisation

| | |
|----------------------------------|--|
| Respiratory sensitisation | Based on available data the classification criteria are not met. |
|----------------------------------|--|

Skin sensitisation

| | |
|---------------------------|--|
| Skin sensitisation | Based on available data the classification criteria are not met. |
|---------------------------|--|

CONCENTRATED LEMON WASHING UP LIQUID

Germ cell mutagenicity

Genotoxicity - in vitro Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

General information

This product has low toxicity.

Inhalation

This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion

May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.

Skin contact

Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.

Eye contact

Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.

Toxicological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 4,100.0

Species Rat

ATE oral (mg/kg) 4,100.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,001.0

Species Rat

ATE dermal (mg/kg) 2,001.0

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,064.0

Species Rat

ATE oral (mg/kg) 1,064.0

Acute toxicity - dermal

CONCENTRATED LEMON WASHING UP LIQUID

Acute toxicity dermal (LD₅₀ 2,000.1 mg/kg)

Species Rat

ATE dermal (mg/kg) 2,000.1

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Skin sensitisation

Skin sensitisation Not sensitising.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects. Note: Comment refers to the neat product. Normal use solutions are not classified as environmentally harmful.

12.1. Toxicity

Toxicity The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)
REACH dossier information.

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 7.2 mg/l, Daphnia magna
REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout)
REACH dossier information.

Chronic toxicity - aquatic invertebrates NOEC, 21 days: 0.27 mg/l, Daphnia magna
REACH dossier information.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Toxicity Very toxic to aquatic organisms. Supplier's information.

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 2.67 mg/l, Freshwater fish
Supplier's information.

CONCENTRATED LEMON WASHING UP LIQUID

| | |
|---|--|
| Acute toxicity - aquatic invertebrates | LC ₅₀ , 48 hours: 3.1 mg/l, Daphnia magna |
| Acute toxicity - aquatic plants | Supplier's information. EC ₅₀ , 72 hours: 0.146 mg/l, Freshwater algae |
| <u>Chronic aquatic toxicity</u> | |
| Chronic toxicity - fish early life stage | Supplier's information. NOEC, 302 days: 0.42 mg/l, Freshwater fish |
| Chronic toxicity - aquatic invertebrates | Supplier's information. NOEC, 21 days: 0.7 mg/l, Daphnia magna |

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

| | |
|-----------------------|--|
| Biodegradation | Expected to be readily biodegradable. Water - Degradation 100%: 28 days REACH dossier information. |
|-----------------------|--|

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

| | |
|-----------------------|---|
| Biodegradation | The substance is readily biodegradable. |
|-----------------------|---|

12.3. Bioaccumulative potential

| | |
|----------------------------------|---------------------------------------|
| Bioaccumulative potential | No data available on bioaccumulation. |
| Partition coefficient | Not applicable. |

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

| | |
|----------------------------------|---|
| Bioaccumulative potential | The product is not bioaccumulating. |
| Partition coefficient | log Pow: ~ 0.3 REACH dossier information. |

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

| | |
|----------------------------------|---------------------------|
| Bioaccumulative potential | No information available. |
|----------------------------------|---------------------------|

12.4. Mobility in soil

| | |
|-----------------|---|
| Mobility | The product is water-soluble and may spread in water systems. |
|-----------------|---|

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

| | |
|--|----------------------------------|
| Mobility | The product is soluble in water. |
| Adsorption/desorption coefficient | - Log Koc: 0.34 @ °F |

CONCENTRATED LEMON WASHING UP LIQUID

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not discharge into drains or watercourses or onto the ground.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers. Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

CONCENTRATED LEMON WASHING UP LIQUID

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 Not applicable.

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|-----------------------------|--|
| National regulations | GB (UK) CLP and REACH Regulations. The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). EH40/2005 Workplace exposure limits. |
| EU legislation | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. Commission Regulation (EU) No 2015/830 of 28 May 2015. |
| Guidance | Workplace Exposure Limits EH40. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. COSHH Essentials. Technical Guidance WM2: Hazardous Waste. |

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

| | |
|---|---|
| Abbreviations and acronyms used in the safety data sheet | DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. |
| General information | EU UFI CODE 07KX-AM36-1J7C-TJH8 |
| Revision comments | New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision. |
| Revision date | 11/08/2021 |

CONCENTRATED LEMON WASHING UP LIQUID

| | |
|----------------------------------|--|
| Revision | 1 |
| SDS number | 22670 |
| Risk phrases in full | Not classified. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R37/38 Irritating to respiratory system and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms. |
| Hazard statements in full | H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

----- END OF SDS -----